

MATERIAL SAFETY DATA SHEET

SECTION 1—MANUFACTURER INFORMATION

MANUF/DIST: AUTO BRITE INC.
107 SIN NOMBRE CT. NE
ALBUQUERQUE, NM 87113

PREPARER/CONTACT: RICK CARLEY
EMERGENCY PHONE: 800-535-5053
INFORMATION: 505-342-2778

TRADE NAME / SYNONYMS.....: CARPET & FABRIC CLEANER
CHEMICAL NAME / SYNONYMS: NOT APPLICABLE
CHEMICAL FAMILY.....: NOT APPLICABLE
FORMULA.....: Proprietary
PRODUCT CODE.....: 332

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM:

FIRE			
HEALTH	1	0	REACTIVITY
	X	0	
	SPECIFIC		

HAZARD RATING

4 = EXTREME
3 = HIGH
2 = MODERATE
1 = SLIGHT
0 = INSIGNIFICANT
X = SEE TEXT

SECTION 2 - HAZARDOUS INGREDIENTS

NAMES OF HAZARDOUS INGREDIENTS:	See CFR29S1910.1200 (i)-(13)				
CHEMICAL / COMMON NAME	CAS#	PERCENTAGE	PEL-OSHA	TLV-ACGIH	
2 Butoxy Ethanol (Skin)	111-76-2	>1	50PPM	25PPM	
Sodium Metasilicate Anhydrous	6834-92-0	>1	N/A	N/A	

THIS PRODUCT DOES NOT CONTAIN CARCINOGENS: (NTP, IARC, OSHA):

SECTION 3 - HEALTH HAZARD DATA

HEALTH EFFECTS (Acute and Chronic):

Acute:

- a) Eyes - Can cause irritation.
- b) Skin - Prolonged or repeated contact can cause moderate irritation, defatting, dermatitis.

AUTO BRITE INC.

MATERIAL SAFETY DATA SHEET

- c) Inhalation - Breathing of dust or mist can cause mild to severe irritation of nasal or respiratory passage.
- d) Ingestion - Can cause gastro-intestinal irritation, nausea, vomiting and diarrhea.
Chronic
- a) Overexposure to glycol ethers (in it's pure state) has been found to cause anemia, liver abnormalities, kidney damage, lung damage and blood abnormalities in laboratory animals.

PRIMARY ROUTES OF ENTRY:

- a) Skin b) Inhalation

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Pre-existing skin, eye and respiratory may be aggravated by exposure to product.

EMERGENCY FIRST AID PROCEDURES:

- a) Skin - Immediately flush skin with lots of running water for at least 30 minutes. Remove contaminated clothing and shoes. Wash before reuse.
- b) Eyes - Flush immediately with large quantities of water for at least 15 minutes. Consult physician.
- c) Inhalation - If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm, quiet and get medical attention.
- d) Ingestion - Do not induce vomiting. Call physician immediately. If conscious give lots of water or milk. Do not give anything by mouth to an unconscious or convulsing person.

SECTION 4 - CHEMICAL DATA

BOILING POINT (F). : >212	SPECIFIC GRAVITY (WATER=1). : 1.05
VAPOR PRESSURE (mmHg): N/A	PERCENT VOLATILE BY VOLUME (%): > 85
VAPOR DENSITY (AIR=1) : 0.6	EVAPORATION RATE (WATER=1) : 1

SOLUBILITY IN WATER: 100% Soluble in water.

APPEARANCE AND ODOR INFORMATION: Green thin liquid with lime odor.

SECTION 5 - FIRE + PHYSICAL HAZARD DATA

FLASH POINT (Method Used): None FLAMMABLE LIMITS: LEL=N/A UEL=N/A

EXTINGUISHING MEDIA: Not considered a fire hazard.

AUTO BRITE INC.

MATERIAL SAFETY DATA SHEET

SPECIAL FIRE FIGHTING PROCEDURES: N/A

UNUSUAL FIRE AND EXPLOSION HAZARDS: N/A

INCOMPATIBILITY (Material To Avoid):

Avoid contact with acids and strong oxidizers such as chlorine, permanganate, etc.

HAZARDOUS DECOMPOSITION PRODUCTS: None.

HAZARDOUS POLYMERIZATION WILL NOT OCCUR

THIS PRODUCT IS STABLE

SECTION 6 - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Absorb the large spill on suitable absorbent. Wash the residue down the drain or pit with plenty of water. Small spills can be flushed down the drain with plenty of water.

WASTE DISPOSAL METHODS:

Dispose of according to local, state and federal regulations for biodegradable soaps and detergents.

SECTION 7 - EXPOSURE CONTROL INFORMATION

VENTILATION:

LOCAL EXHAUST: Below TLV(s)

MECHANICAL (GENERAL): EXPLOSION PROOF

SPECIAL.....: N/A

OTHER.....: N/A

RESPIRATORY PROTECTION: An appropriate NIOSH approved hydrocarbon canister or Respirator for organic. Vapor should be worn if needed

PROTECTIVE GLOVES: Wear - resistant gloves such as nitrile rubber, PVC, etc.

OTHER PROTECTIVE EQUIPMENT: Eye wash and quick drench facilities

OTHER ENGINEERING CONTROLS: None known

AUTO BRITE INC.

MATERIAL SAFETY DATA SHEET

WORK PRACTICES:

Eye wash fountain and safety shower should be easily accessible. Discard properly such items as rags and trash soaked with the product. Provide adequate ventilation.

HYGIENIC PRACTICES:

Avoid contact with eyes, skin and clothing. Avoid inhalation of product vapors. Wash thoroughly after handling and before eating, drinking or smoking. Remove contaminated clothing promptly and wash thoroughly before reused.

SECTION 8 - SPECIAL PRECAUTION

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

- a) Do not store under freezing conditions or above 120 degrees F.
- b) Protect from physical damage and keep tightly closed.
- c) Do not store near acids or acidic materials and oxidizers.

MAINTENANCE PRECAUTIONS:

When working with **FLAMMABLE** material electrically ground all equipment and use only non-sparking tools.

OTHER PRECAUTIONS:

- a) Containers, even those that have been emptied will retain product residue and vapors.
Always obey hazard warnings. Keep away from food.

SHIPPING INFO, UN/NA #'s, Secondary container label INFO NECESSARY OR SUGGESTED:

2 Butoxyethanol 6.1. UN2369, PG 111, KEEP AWAY FROM FOOD

KEEP OUT OF THE REACH OF CHILDREN!

AUTO BRITE INC.