

MATERIAL SAFETY DATA SHEET

SECTION 3 - HEALTH HAZARD DATA

HEALTH EFFECTS (Acute and Chronic):

Can cause irritation to eyes and respiratory tract. Prolonged or repeated contact with skin may cause irritation. Harmful if swallowed.

SIGNS AND SYMPTOMS OF EXPOSURE:

Irritation, redness.

PRIMARY ROUTES OF ENTRY:

- a) Skin b) Inhalation c) Ingestion

CARCINOGENICITY:	NTP?	IARC MONOGRAPHS?	OSHA REGULATED?
	Not Listed	Not Listed	Not Listed

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Pre-existing skin, eye and respiratory may be aggravated by exposure to product.

EMERGENCY FIRST AID PROCEDURES:

- a) Skin - Wash with water.
b) Eyes - Flush with water for 15 minutes, especially under eyelids. Call physician immediately.
c) Ingestion - Call a physician immediately. Induce vomiting. Drink milk or water.

SECTION 4 - CHEMICAL DATA

BOILING POINT (F) : >200 F	SPECIFIC GRAVITY (WATER=1) : <1
VAPOR PRESSURE (mmHg): Unknown	PERCENT VOLATILE BY VOLUME (%):
VAPOR DENSITY (AIR=1) : >air	EVAPORATION RATE (WATER=1) :
	Estimated slower than ethyl ether

SOLUBILITY IN WATER: Complete

APPEARANCE AND ODOR INFORMATION: Opaque in color/ Fragrance Listed

SECTION 5 - FIRE + PHYSICAL HAZARD DATA

FLASH POINT (Method Used): >200 F @ percentages in product

FLAMMABLE LIMITS: LEL=N/A UEL=N/A

EXTINGUISHING MEDIA: Dry chemical, carbon dioxide, foam or water fog.

AUTO SCENTS INC.

MATERIAL SAFETY DATA SHEET

SPECIAL FIRE FIGHTING PROCEDURES: SCBA should be used in fighting fires involving

UNUSUAL FIRE AND EXPLOSION HAZARDS: Toxic gases may be released during a fire.

INCOMPATIBILITY (Material To Avoid):

Strong oxidizing agents

HAZARDOUS DECOMPOSITION PRODUCTS:

Thermal-oxidative degradation can produce oxides of carbon.

HAZARDOUS POLYMERIZATION WILL NOT OCCUR

THIS PRODUCT IS STABLE

SECTION 6 - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Remove with inert absorbent and transfer for disposal. Wash spill area with water.

WASTE DISPOSAL METHODS:

Dispose of according to local, state and federal regulations.

SECTION 7 - EXPOSURE CONTROL INFORMATION

VENTILATION: Mechanical - Recommended

LOCAL EXHAUST: Below TLV(s)

MECHANICAL (GENERAL):

SPECIAL.....: N/A

OTHER.....: N/A

RESPIRATORY PROTECTION: Dust mask, use SCBA when exposure levels are exceeded.

PROTECTIVE GLOVES: Rubber or Neoprene

OTHER PROTECTIVE EQUIPMENT: None required in normal use.

OTHER ENGINEERING CONTROLS:

Eye wash and quick drench facilities.

AUTO SCENTS INC.

MATERIAL SAFETY DATA SHEET

WORK PRACTICES:

Observe good housekeeping practices.

EYE PROTECTION: Approved Safety Glasses.

SECTION 8 - SPECIAL PRECAUTION

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

- a) Avoid open flame and any ignition sources.
- b) Store in closed container.
- c) Store out of sunlight.
- d) Store away from oxidizing agents

OTHER PRECAUTIONS:

- a) Keep out of the reach of children. Do not get in eyes or on skin.

AUTO SCENTS INC.