

## SAFETY DATA SHEET      Clay Lube

SDS No: 1001-2

Version: 1.1 (REG\_29 CFR 1910.1200/REG\_ GHS Rev.5<sup>th</sup> e.2013)

Date of last Revision: 08/19/2014

### 1. Identification of the substance or mixture and of the supplier

**1.1 Product identifier used on the label:** Clay Lube

**1.2 Other means of identification:** Not Applicable

**1.3 Recommended use of the chemical and restrictions on use:** A high gloss detail spray. This material should not be used for any other purpose than that recommended without expert advice.

**1.4 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:**

J.B.Chemical Co., Inc.  
14803 S. Spring Street  
Gardena, CA 90248, USA  
310-532-3021  
800-522-2468

**1.5 Emergency phone numbers:**

J.B.Chemical Co., Inc.: (310) 532-3021, (800) 522-2468 Monday - Friday, 7:00am - 3:00pm PST  
Chemtrec: (800) 424-9300 - Outside the continental U.S.: (703) 527-3887    24 Hours

### 2. Hazard(s) identification

**2.1 Classification of the chemical in accordance with 29 CFR 1910.1200(d) and GHS Rev.5<sup>th</sup> e.2013:**

This product is classified as hazardous.

Skin Irritation Category 3

**2.2 Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with 29 CFR 1910.1200(f) and GHS Rev.5<sup>th</sup> e.2013:**

**Signal word:** Warning

**Hazard statement(s):**

- **Physical Hazards:** Not Applicable
- **Health Hazards:** H316: Causes mild skin irritation.

**Symbol(s):** Not Applicable

**Precautionary statement(s):**

**Prevention:**

P102: Keep out of reach of children.

P264: Wash hands thoroughly after handling.

**Response:**

P332+P313: If skin irritation occurs: Get medical advice/attention.

**Storage:** Not Applicable

**Disposal:** Not Applicable

**2.3 Describe any hazards not otherwise classified that have been identified during the classification process**

## SAFETY DATA SHEET Clay Lube

SDS No: 1001-2

Version: 1.1 (REG\_29 CFR 1910.1200/REG\_ GHS Rev.5<sup>th</sup> e.2013)

Date of last Revision: 08/19/2014

May cause eye irritation.

- 2.4 Where an ingredient with unknown acute toxicity is used in a mixture at a concentration  $\geq 1\%$  and the mixture is not classified based on testing of the mixture as a whole, a statement that X% of the mixture consists of ingredient(s) of unknown acute toxicity is required: Not Applicable

### 3.Composition/ information on ingredients

Chemical name	CAS No.	EC No.	Concentration (Wt%)	Classification 29 CFR 1910.1200(d)/GHS
Ethylene glycol monobutyl ether	111-76-2	203-905-0	1.00-3.00	Acute Tox.4 H302 Acute Tox.4 H312 Skin Irrit.2 H315 Eye Irrit.2 H319 Acute Tox.4 H332 Asp Tox.1 H304

### 4.First-aid measures

- 4.1 Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion.

- **Inhalation:** If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention.
- **Skin contact:** Clean affected areas with mild soap and water. Remove contaminated clothing, including shoes, and launder before reuse or discard. If any irritation persists, seek medical attention.
- **Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. If any irritation persists, get medical attention.
- **Ingestion:** Do not induce vomiting or give anything by mouth. If victim is drowsy or unconscious, place on the left side with head down. If possible, do not leave victim unattended. Get medical attention immediately.

- 4.2 Most important symptoms/effects, acute and delayed: May cause mild skin and eye irritation.

- 4.3 Indication of immediate medical attention and special treatment needed, if necessary: Not Applicable

### 5.Fire-fighting measures

- 5.1 Suitable (and unsuitable) extinguishing media: This material will not burn. Non-combustible.

- 5.2 Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products): Not Applicable

- 5.3 Special protective equipment and precautions for fire-fighters: Not Applicable

## SAFETY DATA SHEET Clay Lube

SDS No: 1001-2

Version: 1.1 (REG\_29 CFR 1910.1200/REG\_ GHS Rev.5<sup>th</sup> e.2013)

Date of last Revision: 08/19/2014

### 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment, and emergency procedures:

Wear protective equipment to prevent skin and eye contact and breathing in vapors.

#### 6.2 Methods and materials for containment and cleaning up:

Prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labeled containers or drums for disposal. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

### 7. Handling and storage

#### 7.1 Precautions for safe handling:

Avoid breathing mists or vapors. Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Use only with adequate ventilation. Wash thoroughly after handling. Do not wear contaminated clothing or shoes.

#### 7.2 Conditions for safe storage, including any incompatibilities:

For small containers, keep out of reach of children. Keep tightly closed and store in a cool and well ventilated area. Store only in approved containers and protect from physical damage. Storage should meet OSHA standards. Empty drums should be completely drained, properly bunged, and promptly shipped to a drum reconditioner. All other containers should be disposed of in an environmentally safe manner and in accordance with governmental regulation. Do not overheat; product will start boiling if heated above 200°F.

### 8. Exposure controls/ personal protection

#### 8.1 OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Component(s):

Chemical name	Type	Exposure Limit values	Source
Ethylene glycol monobutyl ether	TWA	20 ppm	US. ACGIH Threshold Limit Values (01 2010)
Ethylene glycol monobutyl ether	PEL	50 ppm / 240 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)

**8.2 Appropriate engineering controls:** Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

**8.3 Individual protection measures, such as personal protective equipment:**

## SAFETY DATA SHEET Clay Lube

SDS No: 1001-2

Version: 1.1 (REG\_29 CFR 1910.1200/REG\_ GHS Rev.5<sup>th</sup> e.2013)

Date of last Revision: 08/19/2014

- **Eye/face protection:** Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Safety Glasses with side shields
- **Skin/hand protection:** Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Gloves made from the following material(s) are recommended: Nitrile rubber
- **Respiratory protection:** Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

### 9. Physical and chemical properties

<b>Appearance (physical state, color, etc.):</b>	Liquid, yellow color
<b>Odor:</b>	Juicy fruit scent
<b>Odor threshold:</b>	Not Determined
<b>pH:</b>	6.00-7.00
<b>Melting point/freezing point:</b>	Not Applicable
<b>Initial boiling point and boiling range:</b>	212 °F
<b>Flash point:</b>	Not Applicable
<b>Evaporation rate:</b>	Not Determined
<b>Flammability (solid, gas):</b>	Not Applicable
<b>Upper/lower flammability or explosive limits:</b>	Not Applicable
<b>Vapor pressure:</b>	Not Determined
<b>Vapor density:</b>	Not Determined
<b>Relative density:</b>	0.995 at 77°F (Water=1)
<b>Solubility(ies):</b>	Soluble in water
<b>Partition coefficient: n-octanol/water:</b>	Not Determined
<b>Auto-ignition temperature:</b>	Not Applicable
<b>Decomposition temperature:</b>	Not Applicable
<b>Viscosity:</b>	Not Determined

### 10. Stability and reactivity

- 10.1 **Reactivity:** This material is considered to be non reactive under normal use conditions.
- 10.2 **Chemical stability:** Stable.
- 10.3 **Possibility of hazardous reactions:** Hazardous polymerization will not occur.
- 10.4 **Conditions to avoid (e.g., static discharge, shock, or vibration):** None known.
- 10.5 **Incompatible materials:** None known.
- 10.6 **Hazardous decomposition products:** None known.

## SAFETY DATA SHEET Clay Lube

SDS No: 1001-2

Version: 1.1 (REG\_29 CFR 1910.1200/REG\_ GHS Rev.5<sup>th</sup> e.2013)

Date of last Revision: 08/19/2014

### 11.Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects, including:

- 11.1 Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):**
- **Inhalation:** No adverse effects expected from the normal use of this product. Avoid breathing dust/fume/gas/mist/vapors/spray.
  - **Ingestion:** Harmful if swallowed. Swallowing may cause gastrointestinal disturbances. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.
  - **Skin contact:** Direct prolonged or repeated contact may cause mild irritation.
  - **Eye contact:** Direct contact may cause mild eye irritation with redness and tearing.
- 11.2 Symptoms related to the physical, chemical and toxicological characteristics:** Not Determined
- 11.3 Delayed and immediate effects and also chronic effects from short- and long-term exposure:** See section 11.1.
- 11.4 Numerical measures of toxicity (such as acute toxicity estimates):** Not determined on the mixture.

#### Acute toxicity

Name (Components)	Route	Species	Value
Ethylene glycol monobutyl ether CAS No:111-76-2	Dermal	Rat	LD50 > 2000 mg/kg
“	Ingestion	Rat	LD50 > 1300 mg/kg
“	Inhalation-vapor (3 hours)	Rat	LC50 > 4.9 mg/l

#### Skin Corrosion/Irritation

Name (Components)	Species	Value
Ethylene glycol monobutyl ether CAS No:111-76-2	Rabbit (24 hours)	Moderate irritation

#### Serious Eye Damage/Irritation

Name (Components)	Species	Value
Ethylene glycol monobutyl ether CAS No:111-76-2	Rabbit (24 hours)	Moderate irritation

#### Respiratory or skin sensitization

Name (Components)	Species	Value
Ethylene glycol monobutyl ether CAS No:111-76-2	Guinea Pig	Not a skin sensitizer

## SAFETY DATA SHEET Clay Lube

SDS No: 1001-2

Version: 1.1 (REG\_29 CFR 1910.1200/REG\_ GHS Rev.5<sup>th</sup> e.2013)

Date of last Revision: 08/19/2014

### Germ Cell Mutagenicity

Name (Components)	Route	Value
Ethylene glycol monobutyl ether CAS No:111-76-2	In Vitro: Salmonella typhimurium assay (Ames test)	negative +/- activation
"	In Vivo	

### Carcinogenicity

Name (Components)	Route	Species	Value
Ethylene glycol monobutyl ether CAS No:111-76-2			Not Classified.

### Reproductive toxicity

Name (Components)	Route	Species	Value	Test Result	Exposure Duration
Ethylene glycol monobutyl ether CAS No:111-76-2			Not Classified		

### Specific Target Organ Toxicity - single exposure

Name (components)	Route	Species	Target Organ	Value	Test Result	Exposure Duration
Ethylene glycol monobutyl ether CAS No:111-76-2	Inhalation		Central Nervous System	May cause drowsiness or dizziness	NOAEL	

### Specific Target Organ Toxicity - repeated exposure

Name (components)	Route	Species	Target Organ	Value	Test Result	Exposure Duration
Ethylene glycol monobutyl ether CAS No:111-76-2	Dermal	Rat		150 mg/kg	NOAEL	
"	Ingestion	Rat	Liver	69 mg/m3	LOAEL	
"	Inhalation	Rat	Blood	152 mg/m3	LOAEL	

### Aspiration Hazard

Name (Components)	Value
Ethylene glycol monobutyl ether CAS No:111-76-2	Aspiration Hazard Toxicity Category 1

## 12. Ecological information

- 12.1 **Ecotoxicity (aquatic and terrestrial, where available):** Not determined
- 12.2 **Persistence and degradability:** Not determined
- 12.3 **Bioaccumulative potential:** Has the potential to bioaccumulate.
- 12.4 **Mobility in soil:** Adsorbs to soil and has low mobility.
- 12.5 **Other adverse effects (such as hazardous to the ozone layer):** Not determined

## SAFETY DATA SHEET Clay Lube

SDS No: 1001-2

Version: 1.1 (REG\_29 CFR 1910.1200/REG\_ GHS Rev.5<sup>th</sup> e.2013)

Date of last Revision: 08/19/2014

### 13. Disposal considerations

**13.1 Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:** Dispose of contents/ container in accordance with the local/regional/national/international regulations. Do not contaminate any lakes, streams, ponds, or underground water supplies.

### 14. Transport information

- 14.1 **UN number:** Not regulated
- 14.2 **UN proper shipping name:** Not regulated
- 14.3 **Transport hazard class(es):** Not regulated
- 14.4 **Packing group, if applicable:** Not regulated
- 14.5 **Environmental hazards (e.g., Marine pollutant (Yes/No)):** Not determined
- 14.6 **Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):** Not regulated
- 14.7 **Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises:** Not regulated

### 15. Regulatory information

#### 15.1 Safety, health and environmental regulations specific for the product in question:

- **OSHA Hazard Communication Standard:** When used for its intended purposes, this material is not classified as hazardous in accordance with OSHA 29 CFR 1910.1200.
- **TSCA:** Components of this product are listed on the TSCA Inventory.
- **SARA Title III, Section 302 (Extremely Hazardous Substances):** None.
- **SARA Title III, Section 313:** This product contains 2-Butoxyethanol (CAS No: 111-76-2 ≤ 3.00%) which is subject to the reporting requirements of SARA Title III, Section 313 as category N230-Glycol Ethers.
- **SARA Title III, Section 311/312 Classifications:**

Fire Hazard: No	Pressure Hazard: No	Reactivity Hazard: No
Immediate Hazard: Yes	Delayed Hazard: No	
- **CERCLA Hazardous Substances:** This material is not subject to any special reporting under the requirements of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA). Contact local authorities to determine if other reporting requirements apply.
- **CLEAN WATER ACT/OIL POLLUTION ACT:** None
- **CA PROP 65:**

WARNING! This product contains a chemical known to the State of California to cause cancer: None.  
WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm: None.

## SAFETY DATA SHEET Clay Lube

SDS No: 1001-2

Version: 1.1 (REG\_29 CFR 1910.1200/REG\_ GHS Rev.5<sup>th</sup> e.2013)

Date of last Revision: 08/19/2014

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

### 16. Other information including date of preparation or last revision

#### Full text of H-Statements referred to under sections 2 and 3:

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H312: Harmful in contact with skin.

H315: Causes skin irritation.

H316: Causes mild skin irritation.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

Asp Tox.1: Aspiration Toxicity Category 1

Acute Tox.4: Acute Toxicity Category 4

Eye Irrit.2: Eye Irritation Category 2

Skin Irrit.2: Skin Irritation Category 2

#### Sources of key data used to compile the Safety Data Sheet:

International Agency for Research on Cancer

International Air Transport Association: Dangerous Goods Regulations.

International Maritime Organization: International Maritime Dangerous Goods Code

Components supplier data

Globally harmonized system of classification and labeling of chemicals (GHS Rev.5<sup>th</sup> e.2013)

European Chemicals Agency website

EU Registration, Evaluation and Restriction of Chemicals regulation (REACH): Classification and Labeling Inventory

US California Proposition 65

US Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

US Department of Health & Human Services. National Toxicology Program

US Department of Transport DOT 49 CFR

US National Fire Protection Association (NFPA) 704

US National Institute for Occupational Safety & Health (NIOSH) (exposure limits)

US Occupational Safety & Health Administration (OSHA) 29 CFR 1910.1200 (Hazard Communication Standard)

US OSHA 29 CFR 1910.1000 - Table Z1 (exposure limits)

US Superfund Amendments and Reauthorization Act (SARA) Title III Sections 302; 311/312 ; 313

US Toxic Substances Control Act (TSCA)

#### Key or legend to abbreviations and acronyms used in the safety data sheet:

ACGIH - American Conference of Governmental Industrial Hygienists

CAS No - Chemical Abstract System No.

CERCLA- US Comprehensive Environmental Response, Compensation, and Liability Act

COC - Cleveland Open Cup (flash and fire point)

DOT -Department Of Transportation

EPA - Environmental Protection Agency

IARC - International Agency for Research on Cancer

IATA - International Air Transport Association

IMDG - International Maritime Dangerous Goods code

mg/m<sup>3</sup> - milligrams per cubic meter

mg/l - milligrams per liter



## SAFETY DATA SHEET Clay Lube

SDS No: 1001-2

Version: 1.1 (REG\_29 CFR 1910.1200/REG\_ GHS Rev.5<sup>th</sup> e.2013)

Date of last Revision: 08/19/2014

NIOSH - National Institute for Occupational Safety and Health  
NFPA- US National Fire Protection Association  
NTP - National Toxicology Program  
OSHA - Occupational Safety and Health Administration  
PEL - Permissible Exposure Limits  
ppb - Parts Per Billion  
ppm - Parts Per Million  
PMCC - Pensky-Martin Closed Cup (flash point)  
RCRA - EPA Resource Conservation and Recovery Act  
SARA - Superfund Amendments and Reauthorization Act Title I, II, III  
SDS - Safety Data Sheet  
STEL- Short Term Exposure Limit  
TCC - Tag Closed Cup (flash point)  
TLV - Threshold Limit Value  
TWA - Time Weighted Average Exposure  
< - Less than  
> - More than

**Procedure used to derive the classification for mixtures according to Regulations 29 CFR 1900.1200 and GHS Rev.5<sup>th</sup> e.2013:**

Calculation method: Classification of mixtures based on ingredients of the mixture.

### **LEGAL DISCLAIMER:**

*The information contained in this document is based upon data believed to be reliable at the time of preparing this SDS and relates only to the matters specifically mentioned in this document.*

*Although J.B.Chemical Co. has used reasonable skill and care in the preparation of this information, in the absence of any overriding obligations arising under a specific contract, no representation, warranty (express or implied), or guarantee is made as to the suitability, accuracy, reliability or completeness of the information; nothing in this document shall reduce the user's responsibility to satisfy itself as to the suitability, accuracy, reliability, and completeness of such information for its particular use; there is no warranty against intellectual property infringement; and J.B.Chemical Co. shall not be liable for any loss, damage or injury that may occur from the use of this information. No statement shall be construed as an endorsement of any product or process. For greater certainty, before use of information contained in this document, particularly if the product is used for a purpose or under conditions which are abnormal or not reasonably foreseeable, this information must be reviewed with the supplier of such information. J.B.Chemical Co. also does not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.*

**Prepared by:** J.B.Chemical Regulatory Affairs

**Revision Date:** August 19, 2014

**Preparation date:** August 19, 2014