

Material Safety Data Sheet

May be used to comply with
OSHA'S Hazard Communication Standard
29 CFR 2910.1200. Standard must be
consulted for specific requirements.

U.S. DEPARTMENT OF LABOR

Occupational Safety and Health
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

Identity (As Used on Label and List) 814,827,840,861,826,850,852,849 Odor Bomb -Total Release Odor Eliminator Varoius Scents	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
---	---

Section I

Manufacturer's Name AUTO SCENTS, INC	Emergency Telephone Number (800) 535-5053
Address (number, Street, City, State, and ZIP Code) P.O. BOX 91297	Telephone Number for Information 505 342-2776 Fax: 505 342-2779
ALBUQUERQUE, NM 87199	Date Prepared 08/20/2008 Prepared By:

Section II- HMIS Rating

Health 2 Flammability 3 Reactivity 0

Section III - Hazardous Ingredients/Identity Information

Hazardous Components [Specific Chemical Identity: Common Name(s)]	OSHA PEL	ACGIHTLV	Other Limits Recommended	% (optional)
Amyl Acetate CAS #628-63-7		100 ppm		100 ppm 1.1
Hydrocarbon Propellant Propane CAS #74-98-6 Isobutane CAS #75-28-5	1000 ppm 800 ppm	1000 ppm 800 ppm		30.0
Isopropanol CAS #67-63-0	1000 ppm	1000 ppm		55.0

Section IV - Physical/Chemical Characteristics

Boiling Point	N/D	Specific Gravity (H ₂ O = 1)	0.8
Vapor Pressure (mm Hg.) PSIG 68°F	60	Melting Point	N/A
Vapor Density (AIR = 1)	>1	Evaporation Rate	
Solubility in Water: 67%			
Appearance and Odor: Fine aerosol with pleasant scent			

Section V - Fire and Explosion Hazard Data

Flash Point (Method Used) Below 20°F TOC	Flammable Limits N/D	LEL N/D	VEL N/D
Extinguishing Media Carbon dioxide, dry chemical, water fog			
Special Fire Fighting Procedures Self contained air supply suggested			
Unusual Fire and Explosion Hazards Keep container cool (below 130 °F) to avoid bursting			

N/A = Not Applicable

N/D = Not Determined

Page 1

N/E = Not Established

OSHA 174, Sept. 1985